

Supplementary Material

Immunoaffinity-enriched salivary small extracellular vesicles in periodontitis

**Chun Liu¹, Chaminda Jayampath Seneviratne¹, Carlos Palma², Greg Rice^{2,3},
Carlos Salomon³, Ramin Khanabdali², Sašo Ivanovski^{1,*}, Pingping Han^{1,*}**

¹Epigenetics nanodiagnostic and therapeutic group, Center for Oral-facial Regeneration, Rehabilitation and Reconstruction (COR3), School of Dentistry, The University of Queensland, Brisbane, QLD 4006, Australia.

²INOVIQ Limited, Notting Hill, VIC 3168, Australia.

³Translational Extracellular Vesicles in Obstetrics and Gynae-Oncology Group, University of Queensland Centre for Clinical Research, Faculty of Medicine, Royal Brisbane and Women's Hospital, The University of Queensland, Brisbane, QLD 4029, Australia.

Correspondence to: Dr. Pingping Han, Epigenetics nanodiagnostic and therapeutic group, Rehabilitation and Reconstruction (COR3), Center for Oral-facial Regeneration, School of Dentistry, The University of Queensland, 288 Herston Road, Brisbane, QLD 4006, Australia. E-mail: p.han@uq.edu.au; Prof. Sašo Ivanovski, Rehabilitation and Reconstruction (COR3), Center for Oral-facial Regeneration, School of Dentistry, The University of Queensland, 288 Herston Road, Brisbane, 4006, Australia. E-mail: s.ivanovski@uq.edu.au

Supplementary Table 1. Primers for periodontal pathogens

Pathogen.	Forward primer (5'-3')	Reverse primer (5'-3')
<i>Porphyromonas gingivalis</i>	TGGTTTCATGCAGCTTCTTT	TCGGCACCTTCGTAATTCT T
<i>Tannerella forsythia</i>	GGGTGAGTAACGCGTATGT AACCT	CCCATCCGCAACCAATAA A
<i>Treponema denticola</i>	TGGTGAGTAACGCGTGGGT GACCT	TTCACCCTCTCAGGCCGG A
<i>Peptostreptococcus anaerobius</i>	GGGTGAGTAACGCGTGGGT	TACTGATCGTCGCCTTGGT GG
<i>Eikenella corrodens</i>	ACGTCCTACGGGAGAAAGC GG	CCATTGTCCAAAATTCCCC ACTG
<i>16S rRNA</i>	CGGCAACGAGCGCAACCC	CCATTGTAGCACGTGTAG CC