

1 **Supplementary Materials**

2
3 **Lymphatic spread from left-sided intrahepatic cholangiocarcinoma:**
4 **reconsiderations based on the lymphatic drainage from the liver**

5
6 **Masayuki Ohtsuka, Tsukasa Takayashiki, Shigetsugu Takano, Daisuke Suzuki,**
7 **Nozomu Sakai, Isamu Hosokawa, Takashi Mishima, Takanori Konishi, Kensuke**
8 **Suzuki, Hitoe Nishino, Shinichiro Nakada**

9
10 Department of General Surgery, Graduate School of Medicine, Chiba University, Chiba
11 260-8670, Japan.

12
13 **Correspondence to:** Masayuki Ohtsuka, Department of General Surgery, Graduate
14 School of Medicine, Chiba University, 1-8-1 Inohana, Chuoh-ku, Chiba 260-8670,
15 Japan. E-mail: otsuka-m@faculty.chiba-u.jp

16
17 **Supplementary Table 1. ICC cases with lymph node metastasis associated with the**
18 **lesser omentum**

19

No.	age	sex	location	pT	Aberrant LHA	Lymph node metastasis in the hepatoduodenal ligament	Survival after resection
1	68	M	1,2,4	4	+	-	10M dead
2	53	M	1,2,3,4,8	3	-	-	4M dead

3	74	M	2,3,4	4	+	+	15M dead
4	74	F	3	2	+	+	51M alive
5	72	M	2,3	3	-	-	38M dead
6	60	F	1,2,3,4,5,8	4	+	+	67M dead
7	73	M	2,3,4	4	+	+	3M dead
8	79	M	2,3	4	-	+	32M dead
9	78	M	1,2,3,4	4	+	-	4M dead
10	64	M	2,3,4	4	+	-	26M dead
11	67	M	2,3	4	-	-	43M dead

20

21