Supplementary Materials

Biotransformation studies on bioactive compounds: 25 years of interesting research at the ICCBS

Mahwish Siddiqui¹, Atia-tul-Wahab², M. Iqbal Choudhary^{1,2}, Atta-ur-Rahman^{1,2}

¹H. E. J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi 75270, Pakistan.

²Dr. Panjwani Center for Molecular Medicine and Drug Research, International Center for Chemical and Biological Sciences, University of Karachi, Karachi 75270, Pakistan.

Correspondence to: Prof. M. Iqbal Choudhary, H. E. J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, University Rd, Karachi 75270, Pakistan. E-mail: iqbal.choudhary@iccs.edu; Prof. Attaur-Rahman, H. E. J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, University Rd, Karachi 75270, Pakistan. E-mail: aurahman786@gmail.com

Supplementary Figure 1. Proposed pathway for the synthesis of new metabolite 32.

Supplementary Figure 2. Proposed pathway for the synthesis of metabolite 34.

Supplementary Figure 3. Proposed pathway for the synthesis of new metabolite 54.

Supplementary Figure 4. Proposed pathway for the synthesis of new metabolites 79, 82, and 83.

Supplementary Figure 5. Proposed pathway for the dehydrogenation of 134.

$$+ NADPH + ^{\dagger}H + + NADP^{\dagger} + H_2O$$

Supplementary Figure 6. Proposed pathway for the hydroxylation of steroids^[92].