







- study. *Cancer* 1969;23:641-57.
5. Cooper PH. Carcinomas of sweat glands. *Pathol Annu* 1987;22:83-124.
  6. Santa Cruz DJ. Sweat gland carcinomas: a comprehensive review. *Semin Diagn Pathol* 1987;4:38-74.
  7. Abenzoa S, Ackerman AB. Neoplasms with eccrine differentiation. Philadelphia: Lea and Febiger; 1990. p.415-31.
  8. Galadari E, Mehregan AH, Lee KC. Malignant transformation of eccrine tumours. *J Cutan Pathol* 1987;14:15-22.
  9. Wilson KM, Jubert AV, Joseph JI. Sweat gland carcinoma of the hand (malignant acrospiroma). *J Hand Surg Am* 1989;14:531-5.
  10. Headington JT, Niederhuber JE, Beals TF. Malignant clear cell acrospiroma. *Cancer* 1978;41:641-7.
  11. Long WP, Dupin C, Levine EA. Recurrent malignant acrospiroma. Treatment by chest wall excision. *Dermatol Surg* 1998;24:908-12.
  12. Harari PM, Shimm DS, Bangert JL, Cassady JR. The role of radiotherapy in the treatment of malignant sweat gland neoplasms. *Cancer* 1990;65:1737-40.
  13. Coonley CJ, Schauer P, Kelsen DP, Sordillo P, Huvos AG. Chemotherapy of metastatic sweat gland carcinoma. A retrospective review. *Am J Clin Oncol* 1985;8:307-11.
  14. Briscoe KE, Grage T, Kennedy BJ. Sustained complete remission of metastatic sweat gland carcinoma following regional hyperthermic perfusion. *JAMA* 1978;240:51-2.
  15. Piedbois P, Breau JL, Morere JF, Isreal L. Sweat gland carcinoma with bone and visceral metastases. Prolonged complete remission lasting 16 months as a result of chemotherapy. *Cancer* 1987;60:170-2.
  16. Bandyopadhyay AI, Das M, Jana S, Das A. Malignant acrospiroma of chest and abdominal wall treated with chemotherapy. *Indian J Dermatol* 2013;58:241.
  17. De Iuliis F, Amoroso L, Taglieri L, Vendittozzi S, Blasi L, Salerno G, Lanza R, Scarpa S. Chemotherapy of rare skin adnexal tumors: a review of literature. *Anticancer Res* 2014;34:5263-8.