

Supplementary Materials

Overcoming immuno-resistance by rescheduling anti-VEGF/cytotoxics/anti-PD-1 combination in lung cancer model

**Guillaume Sicard¹, Dorian Protzenko¹, Sarah Giacometti¹, Fabrice Barlési^{2,3},
Joseph Ciccolini^{1,4}, Raffaella Fanciullino^{1,4}**


¹SMARTc Unit, CRCM Inserm U1068, Aix Marseille University, Marseille 13385, France.

²School of Medicine, Aix Marseille University, Marseille 13385, France.


³Department of Thoracic Oncology, Gustave Roussy Institute, Villejuif 94200, France.

⁴COMPO, CRCM Inserm U1068 INRIA, Marseille 13385, France.


Correspondence to: Prof. Joseph Ciccolini, COMPO, CRCM Inserm U1068 INRIA, 27 Bd Jean Moulin, Marseille 13385, France. E-mail: joseph.ciccolini@univ-amu.fr




Supplementary Figure 1. Correlation between tumor cells count and CD8 T cells in blood. In Supplementary Figure 1, a strong linear correlation ($r = 0.75$) was found between CD8 T cells in blood and tumor number cells ($P < 0.001$).




Supplementary Figure 2A. GrMDSC monitoring in tumor.




Supplementary Figure 2B. GrMDSC monitoring in spleen.




Supplementary Figure 2C. GrMDSC monitoring in blood.




Supplementary Figure 3A. B cells (CD19+) monitoring in tumor.




Supplementary Figure 3B. CD3 T cells monitoring in tumor.




Supplementary Figure 3C. CD4 T cells monitoring in tumor.







Supplementary Figure 3D. CD8 T cells monitoring in tumor.







Supplementary Figure 4. T CD8/Treg ratio monitoring in tumor.




Supplementary Figure 5A, B. B cells (CD19+) monitoring in spleen.




Supplementary Figure 5B. CD3 T cells monitoring in spleen.




Supplementary Figure 5C. CD4 T cells monitoring in spleen.




Supplementary Figure 5D. CD8 T cells monitoring in spleen.




Supplementary Figure 6. T CD8/Treg ratio monitoring in spleen.




Supplementary Figure 7A. B cells (CD19+) monitoring in blood.



Supplementary Figure 7B. CD3 T cells monitoring in blood.



Supplementary Figure 7C. CD4 T cells monitoring in blood.



Supplementary Figure 8. T CD8/Treg ratio monitoring in blood.